

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Date: _____

To: Division of Water and Sewer Utilities (DWSU)
ATTN: Construction Manager
Department of Engineering and Planning
4520 Metropolitan Court
Frederick, Maryland 21704

From: Contractor Name _____
Address _____
City, State Zip _____

Re: Project Name: _____

Certification Statement

By this submittal, I hereby represent that I have determined and verified all field measurements, field construction criteria, materials, dimensions, catalog numbers and similar data and I have checked and coordinated each item with other applicable approved shop drawings and all Contract requirements.

Contractor Signature

Date

Note 1: Please denote (highlight, check numbers, or otherwise identify) the materials from the following list that you intend to use on this project.

Note 2: If you desire to use materials that DO NOT appear in the following list, provide substitution information in accordance with Section 1200 of the General Conditions and Standard Specifications for Water Mains, Sanitary Sewers and Related Structures. Failure to provide complete information will result in delays in the approval process and may affect the project schedule.

Note 3: This list and all substitution information shall be submitted to the Division of Water and Sewer Utilities (DWSU) **with the Proposal Package**.

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

SANITARY SEWER

PVC Pipe			
Specification Section: 2570			
Standard Details: 1.1, 2.1, 4.1, 201.1, 201.2, 201.3, 201.4, 201.5, 201.7, 201.8, 202.03, 203.1, 206.1, 206.2, 206.4, 208.1, 209.1, 209.2, 210.1, 211.1, 213.2, 213.3, 217.1			
Standard: SDR35, ASTM D3034 or ASTM F679; SDR26, ASTM D3034 or ASTM D2241			
Approved Manufacturer/Product	Type	Standard	Size
<input type="checkbox"/> Diamond Plastics Corp			
<input type="checkbox"/> Extrusion Technologies, Inc.			
<input type="checkbox"/> J-M Manufacturing Co., Inc			
<input type="checkbox"/> National Pipe Co.			
<input type="checkbox"/> Plastic Trends, Inc.			
<input type="checkbox"/> North American Pipe Corp.			
<input type="checkbox"/> Sanderson Pipe Corp.			

PVC Gasketed Fittings			
Specification Section: 2570			
Standard Details: 115.1, 201.3, 201.4, 210.1, 212.1, 213.2			
Standard: SDR35, ASTM D3034 or ASTM F679; SDR26, ASTM D3034 or ASTM D2241			
Approved Manufacturer/Product	Part#	Catalog #	Size
<input type="checkbox"/> GPK Products, Inc.			
<input type="checkbox"/> The Harrington Corp.			
<input type="checkbox"/> J-M Manufacturing Co., Inc.			
<input type="checkbox"/> Multi Fittings Corp.			
<input type="checkbox"/> Plastic Trends, Inc.			
<input type="checkbox"/> Sanderson Pipe Corp.			

Precast Concrete Manholes			
Specification Section: 3360			
Standard Details: 201.1, 201.2, 201.3, 201.4, 201.5, 201.6, 201.7, 201.8, 202.2, 202.4			
Approved Manufacturer/Product	Detail	Size	Other
<input type="checkbox"/> Americast			
<input type="checkbox"/> Atlantic Concrete Products, Inc.			
<input type="checkbox"/> Advanced Drainage Structures			
<input type="checkbox"/> C. R. Semler, Inc.			
<input type="checkbox"/> Terre-Hill			
<input type="checkbox"/> Plastic Trends, Inc.			
<input type="checkbox"/> Contractors Precast Corp.			
<input type="checkbox"/>			

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Concrete Grade Rings	
Specification Section: 3360	
Standard Details: 5.3	
Standard: ASTM C478, Type II Cement. Thickness: Max. 6"; Min. 2". The top grade ring should be 2".	
Approved Manufacturer/Product	Thickness
<input type="checkbox"/> Americast	
<input type="checkbox"/> Atlantic Concrete Products, Inc.	
<input type="checkbox"/> Advance Drainage Structures	
<input type="checkbox"/> C. R. Semler, Inc.	
<input type="checkbox"/> Prism Precast Products, LLC	
<input type="checkbox"/> Contractors Precast Corp.	
<input type="checkbox"/>	

Precast Cleanout Blocks			
Specification Section: 2570			
Standard Details: None, associated details 206.1, 206.2, 206.4, 208.1, 209.1, 209.2			
Standard: ASTM C478, Type II Cement.			
Approved Manufacturer/Product	Sizes to be used	Configurations	
<input type="checkbox"/> Prism Precast Products, LLC			
<input type="checkbox"/> Mayer Brothers, Inc.			
<input type="checkbox"/> Atlantic Precast Products, Inc.			
<input type="checkbox"/> Valley View Concrete Products LLC			
<input type="checkbox"/>			

Manhole Frame and Cover; Lamp Hole Frame and Cover				
Approved Manufacturer/Product	Use			
	Frederick Co.	Sewer	Water	Private
<input type="checkbox"/> East Jordan Iron Works, Inc.				
<input type="checkbox"/> Capitol Foundry of Virginia, Inc.				
<input type="checkbox"/> Chesapeake Foundries, Inc.				
<input type="checkbox"/>				

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Manhole Adapters				
Specification Section: 2570				
Standard Details: 210.1, 212.1, 213.2				
Standard:				
Approved Manufacturer/Product		Supplemental Information		
<input type="checkbox"/> Kor-N-Seal® NPC, Inc.				
<input type="checkbox"/> A-LOK Products, Inc.				
<input type="checkbox"/> Press-Boot® Press-Seal Gasket Corp.				
Sewer Service Saddles				
Specification Section: 2570				
Standard Details: 205.1, 206.2				
Standard: Only if shown on the plans or approved by the DWSU				
Approved Manufacturer/Product		Size	Type of Pipe	Part/Catalog #
<input type="checkbox"/> Sealite® The General Engineering Co.				
<input type="checkbox"/> Romac Industries, Inc., "CB"™				
<input type="checkbox"/>				
<input type="checkbox"/>				

Non-Shrink Grout				
Specification Section: 2570, 4200				
Standard Details: 201.1, 201.2, 202.3, 207.1, 210.1				
Standard: Type II Cement, Corp of Engineers CRD-588				
Approved Manufacturer/Product		Supplemental Information		
<input type="checkbox"/> Thorite® Thoro System Products				
<input type="checkbox"/> Cem Patch				

Butyl Rubber Sealant				
Specification Section: 2570				
Standard Details: 5.3, 112.1				
Standard: AASHTO M-198, $\frac{3}{4}$ " diameter				
Approved Manufacturer/Product		Supplemental Information		
<input type="checkbox"/> Kent Seal®				
<input type="checkbox"/> Bidco Sealants, Inc.				
<input type="checkbox"/> ConSeal Concrete Sealants, Inc.		CS-102 (only)		

Asphalt Base Waterproofing				
Specification Section: 2570				
Standard Details: 112.1				
Standard: MIL-C-82052; MIL -P-23236P Class 2				
Approved Manufacturer/Product		Define manufacturer to be used		
<input type="checkbox"/> Clipper Ship® Foundation Coating		LN-12 or LN - 16		
<input type="checkbox"/> Henry Foundation Coating		PR 175		

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Ductile Iron Pipe – Force Main		
Specification Section: 2570, 2550		
Standard Details:		
Standard: AWWA C151, C111, C104		
Approved Manufacturer/Product	Size	Class
<input type="checkbox"/> American Cast Iron Pipe		
<input type="checkbox"/> McWane Ductile		
<input type="checkbox"/> Griffin Pipe Products Co.		
<input type="checkbox"/> U.S. Pipe and Foundry Co.		
<input type="checkbox"/>		

Pump Around Operations		
Specification Section:		
Standard Details: Shown on plans	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Standard: As shown on approved plans		
Approved Vendors	Minimum Pump Rate	Number of Pumps
<input type="checkbox"/> Sun Belt Rentals	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Capital Rentals	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Godwin Pumps	<input type="checkbox"/>	<input type="checkbox"/> Yes

Jack-N-Bore Operations		
Specification Section: 2950		
Standard Detail: 211.1		
Standard: Casing – AWWA C-200; PVC pipe – ASTM D-3034, SDR35; ASTM F679, SDR35		
Approved Vendors	Casing Spacers	End Seals
<input type="checkbox"/> Advance Products and Systems	<input type="checkbox"/>	<input type="checkbox"/> Models AWN &/or CAN
<input type="checkbox"/> Cascade Waterworks Manufacturing	<input type="checkbox"/>	<input type="checkbox"/> Model CCES
<input type="checkbox"/> Corrosion Control Products	<input type="checkbox"/>	<input type="checkbox"/> Models S, C, or W

Additional Sewer Items	
Manufacturer & Product	Specification & Detail

WATER

Ductile Iron Pipe	
Specification Section: 2550	
Standard Details: 2.3, 101.1, 102.1, 103.1, 104.1, 105.1, 106.1, 109.1, 123.1	
Standard: AWWA C151, C111, C104; 3"-6" Class 54; 8" & larger Class 52; 24" and larger approved by DWSU	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Approved Manufacturer/Product	Spec	Size	Class
<input type="checkbox"/> American Cast Iron Pipe			
<input type="checkbox"/> McWane Ductile			
<input type="checkbox"/> Griffin Pipe Products Co.			
<input type="checkbox"/> U.S. Pipe and Foundry Co.			

Ductile Iron Fittings

Specification Section: 2550

Standard Details: 102.1, 103.1, 104.1, 105.1, 107.1

Standard: AWWA C153, C111, C104; Class 350 or AWWA C110, C151; Class 250

Approved Manufacturer/Product	Spec	Size	Class	Type
<input type="checkbox"/> SIGMA Corporation.				
<input type="checkbox"/> Tyler/Union Foundry Co.				
<input type="checkbox"/> U.S. Pipe and Foundry Co.				
<input type="checkbox"/> Griffin Pipe Products Co.				
<input type="checkbox"/> Star Pipe Products				
<input type="checkbox"/>				

Valves

Specification Section: 2550

Standard Details: 108.1, 108.2, 112.1, 115.1, 116.1, 117.1

Standard: 2" Resilient seat, open left, threaded, AWWA C509; 4"-12" Resilient seat, open left, MJ AWWA C509; 16" and larger, Butterfly Valve, open left, with indicator MJ AWWA C504, Butterfly Valve – Max. test 200psi. All exposed nuts/bolts must be stainless steel on all valves.

Approved Manufacturer/Product	Define sizes to be used
<input type="checkbox"/> Kennedy Valve (McWayne)	
<input type="checkbox"/> Mueller Company	
<input type="checkbox"/> M & H Valve Co. (McWayne)	
<input type="checkbox"/> Pratt Valve	
<input type="checkbox"/> Clow Valve Company(McWayne)	
<input type="checkbox"/> Crispin F-Flo Butterfly Valves Only	
<input type="checkbox"/> American Flow Control Series 2500	

Fire Hydrants

Specification Section: 2550

Standard Details: 108.1, 108.2

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Standard: 6" MJ inlet, 5 1/4" valve, 2-2 1/2" and 1-4 1/2" nozzles with N.S. threads, 1 1/2" open left pentagonal operating nut, painted safety yellow.

Approved Manufacturer/Product	Standard	Dewatering	Bury depth
<input type="checkbox"/> American Darling B-84-B-5			
<input type="checkbox"/> Kennedy Valve, Model K81 (Only models allowed in Walkersville)			
<input type="checkbox"/> Mueller Company, Model A-423 (Only models allowed in Walkersville)			
<input type="checkbox"/> Clow Medallion			

Brass Pipe and Fittings	
Specification Section: 2550	
Standard Details: 115.1, 116.1	
Standard: AWWA C800-01, Regular Strength	
Approved Manufacturer/Product	Supplemental Information
<input type="checkbox"/> Merit Brass Company	
<input type="checkbox"/> Trenton Pipe Nipple Co.	

Joint Restraint, Mechanical Joint				
Specification Section: 2550				
Standard Details: 109.1				
Standard: 3" – 16", 350 psi; 18" & larger, 250 psi				
Approved Manufacturer/Product	Type	Series	Size	Pressure
<input type="checkbox"/> Ebaa Iron, Inc.	<input type="checkbox"/> Megalug®	<input type="checkbox"/> 1100		
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> Uni-Flange®	<input type="checkbox"/> 1400		
<input type="checkbox"/> SIGMA Corporation	<input type="checkbox"/> One-Lok, SDL			
<input type="checkbox"/> Star Pipe Products	<input type="checkbox"/> Star Grip	<input type="checkbox"/> 3000		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Joint Restraint, Push Joint				
Specification Section: 2550				
Standard Details:				
Standard: Must be used with the appropriate fittings and pipe; Bells to be painted red. Not to be used in casings.				
Approved Manufacturer/Product	Type	Sizes	Pressure rating	
<input type="checkbox"/> American Cast Iron Pipe Co.	<input type="checkbox"/> Fast Grip Gasket	<input type="checkbox"/> 4"-12"	<input type="checkbox"/> 350 psi	<input type="checkbox"/> 250 psi
<input type="checkbox"/>	<input type="checkbox"/> 14"			
<input type="checkbox"/> Griffin Pipe Products Co.	<input type="checkbox"/> Talon RJ Gasket	<input type="checkbox"/> 4"-16"	<input type="checkbox"/> 350 psi	
<input type="checkbox"/> The Gripper Gasket Co.	<input type="checkbox"/> Gripper Gasket	<input type="checkbox"/> 3"-16"	<input type="checkbox"/> 350 psi	
<input type="checkbox"/> U.S. Pipe and Foundry Co.	<input type="checkbox"/> Field Lok 350 Gasket	<input type="checkbox"/> 4"-12"	<input type="checkbox"/> 350 psi	
<input type="checkbox"/> Tyler Pipe/Union Foundry	<input type="checkbox"/> Clow Super Lock	<input type="checkbox"/> 6"-36"	<input type="checkbox"/> 350 psi	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Valve Boxes	
Specification Section: 2550	
Standard Details: 108.1, 108.2, 112.1, 114.1, 116.1	
Standard: Cast Iron, Screw Type, 5 1/4" shaft, ASTM A48, Grade 30, Bituminous coating; slide or slip type is NOT acceptable	
Approved Manufacturer/Product	Number
<input type="checkbox"/> Bingham & Taylor	<input type="checkbox"/> 4905 & 4906
<input type="checkbox"/> Capitol Foundry	<input type="checkbox"/> VB-FRED
<input type="checkbox"/> East Jordon Iron Works	<input type="checkbox"/> 8550 Series
<input type="checkbox"/> SIGMA Corporation	<input type="checkbox"/> VB-261 thru VB 268
<input type="checkbox"/> Tyler Pipe / Union Foundry	<input type="checkbox"/> 6850 Series

Tapping Sleeve		
Specification Section: 2550		
Standard Details: 117.1		
Standard: Working Pressure, 200 psi unless otherwise noted on plans or specifications.		
Approved Manufacturer/Product	Number	Sizes
<input type="checkbox"/> American Flow Control	<input type="checkbox"/> Series 1004 <input type="checkbox"/> Series 2800	14" – 36" 4" – 16"
<input type="checkbox"/> Tyler Pipe	<input type="checkbox"/>	6" – 12"
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> H-615	4" – 24"
<input type="checkbox"/> M&H Valve	<input type="checkbox"/>	6" – 12"

Copper Tubing	
Specification Section: 2550	
Standard Details: 110.1, 110.2, 110.3, 110.4, 111.1	
Standard: Seamless, Type K, Soft, ASTM B88. No joints allowed between main and meter vault.	
Approved Manufacturer/Product	Define sizes to be used
<input type="checkbox"/> Cambridge Lee Industries, Inc.	
<input type="checkbox"/> Mueller Copper Tube Co.	

Corporation Stop		
Specification Section: 2550		
Standard Details: 113.1		
Standard: Ball Valve, 300 psi working pressure Gripper Style. For services larger than one inch use tapped tees is required.		
Approved Manufacturer/Product	Number	Defines sizes to be used
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> FB600 <input type="checkbox"/> FB1000-Q <input type="checkbox"/> FB1700-7	
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 4701B	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

	<input type="checkbox"/> 4701BT <input type="checkbox"/> 3149B	
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> B-25000	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Angle Ball Valves		
Specification Section: 2550		
Standard Details: 110.1, 110.2, 110.3, 110.4, 115.1		
Standard: Ball Valve, 300 psi working pressure, Locking Wing		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.,	<input type="checkbox"/> BA91-323W <input type="checkbox"/> BA91-444W <input type="checkbox"/> BA94-323W-Q <input type="checkbox"/> BA94-444W-Q	<input type="checkbox"/> 3/4" <input type="checkbox"/> 1" <input type="checkbox"/> 3/4" <input type="checkbox"/> 1"
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 4602BYT <input type="checkbox"/> 4604BY <input type="checkbox"/> 4604BY	<input type="checkbox"/> 3/4" x 3/4" x 02 <input type="checkbox"/> 3/4" x 3/4" x 02 <input type="checkbox"/> 1" x 1" x 04
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> B-24273 <input type="checkbox"/> B-24273 <input type="checkbox"/> B-24278 <input type="checkbox"/> B-24278	<input type="checkbox"/> 5/8" x 3/4" x 3/4" <input type="checkbox"/> 1" <input type="checkbox"/> 5/8" x 3/4" x 3/4" <input type="checkbox"/> 1"

Iron Meter Yoke		
Specification Section: 2550		
Standard Details: 110.1, 110.2, 110.3, 110.4		
Standard:		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> Y502 <input type="checkbox"/> Y504	
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 14-2 <input type="checkbox"/> 14-4	
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> H-5020 <input type="checkbox"/> H-5040	

Expansion Connection		
Specification Section: 2550		
Standard Details: 110.1, 110.2, 110.3, 110.4		
Standard:		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> EC-23 <input type="checkbox"/> EC-4	<input type="checkbox"/> 3/4"
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 14-2EHG <input type="checkbox"/> 14-4EHG	<input type="checkbox"/> 3/4" <input type="checkbox"/> 1"
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> H-14234	<input type="checkbox"/> 3/4", 1"

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Cartridge Style Angle Dual Check Valve		
Specification Section: 2550		
Standard Details: 110.1, 110.2, 110.3, 110.4		
Standard:		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> HHCA94-323-Q <input type="checkbox"/> HHCA91-444	
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> H-14466-A-05	
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 12W3YQ 33 <input type="checkbox"/> 12W4YQ 44	<input type="checkbox"/> $\frac{3}{4}$ "

Connector Assembly With Plug		
Specification Section: 2550		
Standard Details: 110.1, 110.2, 110.3, 110.4		
Standard:		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> C14-33-Q <input type="checkbox"/> C14-44-Q <input type="checkbox"/> C14-66-Q <input type="checkbox"/> C14-77-Q	
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 4754T	
<input type="checkbox"/> Mueller Company,	<input type="checkbox"/> H-15451	

Branch Pieces		
Specification Section: 2550		
Standard Details: 110.1		
Standard: 1" CTS x Two $\frac{3}{4}$ " MIP, 7 1/2" Spacing		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> U48-43	
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 08UTM	
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> H-15363	

Tandem Setters for Individual PRV		
Specification Section: 2550		
Standard Details: 110.2, 110.3		
Standard:		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> A-95095 <input type="checkbox"/> TYA-4-95095-059	<input type="checkbox"/> $\frac{3}{4}$ " <input type="checkbox"/> 1"
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> 215B5020-R6A00	
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 14L2 WDQQ332 X 996	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Pressure Reducing Valve (PRV)		
Specification Section: 2550		
Standard Details: 110.5		
Standard:		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> CLA-VAL, Automatic Control Valves	<input type="checkbox"/> Model 990	<input type="checkbox"/> ¾" with two reducing bushings <input type="checkbox"/> 1"

Concrete Meter Vaults	
Specification Section: 2550	
Standard Details: 110.1 thru 110.5	
Standard: CL-1, ASTM C76 and ASTM C141	
Approved Manufacturer/Product	Sizes to be used
<input type="checkbox"/> Advanced Drainage Structures	
<input type="checkbox"/> Mayer Brothers	
<input type="checkbox"/> Prism Precast Products	
<input type="checkbox"/> Valley View Concrete Products	

Meter Vault Covers		
Specification Section: 2550		
Standard Details: 110.5		
Standard: All holes for electronic meter readers must be 2" actual dimension.		
Approved Manufacturer/Product	Number	
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> A53TP <input type="checkbox"/> A53TTPP <input type="checkbox"/> A53HHT, extra heavy duty <input type="checkbox"/> EXT-24, Extension Ring	<input type="checkbox"/> 10T <input type="checkbox"/> 10TT, Pit Ring & Lid <input type="checkbox"/> 11T, heavy duty <input type="checkbox"/> FL-24 Flange, use with Pit Ring
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 74M53ATP [74M32ATP] <input type="checkbox"/> 74M53ATTTP <input type="checkbox"/> 74MX2, Extension Ring <input type="checkbox"/> 74MPR10TP	<input type="checkbox"/> 74MPR10TTPP <input type="checkbox"/> 74MPR11TP <input type="checkbox"/> 74MPR11TTPP
<input type="checkbox"/> Vestal Manufacturing Enterprises, Inc.	<input type="checkbox"/> RMRC-215-L W/SN W/TR <input type="checkbox"/> RMRC-215-L W/SN W/2TR <input type="checkbox"/> ER-2024 Expanda Ring	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

1-1/2" & 2" Custom Meter Setters		
Specification Section: 2550		
Standard Details: 111.1		
Standard: Include ball valve & check valve on bypass line		
Approved Manufacturer/Product	Number	Size
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> VBHH76-15BHC-44-66-Q <input type="checkbox"/> VBHH77-15BHC-44-77-Q	<input type="checkbox"/> 1 1/2" <input type="checkbox"/> 2"
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> B-2423-2, 15" riser <input type="checkbox"/> B-2423-2, 15" riser	<input type="checkbox"/> 1 1/2" <input type="checkbox"/> 2"
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 20B615WDQQ666 <input type="checkbox"/> 20B715WDQQ776	<input type="checkbox"/> 1-1/2" <input type="checkbox"/> 2"

Large Meter Vaults		
Specification Section: 2550, 3360		
Standard Details: 112.1, 112.2		
Standard: ASTM C-478; ASTM C-150, type II cement		
Approved Manufacturer/Product		Size
<input type="checkbox"/> C.R. Semler, Inc.		
<input type="checkbox"/> Advanced Drainage Structure		
<input type="checkbox"/> Oldcastle Precast		
<input type="checkbox"/> Smith-Midland, Corp.		
<input type="checkbox"/> A. C. Miller Concrete Products		
<input type="checkbox"/> Americast		
<input type="checkbox"/> Contractors Precast Corp. 3" & 4" Vaults		

Large Meter Vault Ladders		
Specification Section: 2550		
Standard Details: 112.2		
Standard: Vertical Aluminum ladder with support extension		
Approved Manufacturer/Product		Model
<input type="checkbox"/> Halliday Aluminum Ladder	<input type="checkbox"/> Series L1B with Series L1E Safety Extension	
<input type="checkbox"/> East Jourdan Iron Works	<input type="checkbox"/> LADAL 06DOOST, Ext. SY0PT1300	

2" Air Release/Vacuum Valve		
Specification Section: 2550		
Standard Details: 115.1		
Standard: 16 inch T-handle required		
Approved Manufacturer/Product		Number
<input type="checkbox"/> CLA-VAL Automatic Control Valves	<input type="checkbox"/> 362-CAV332	
<input type="checkbox"/> Crispin-Multiplex Manufacturing Co.	<input type="checkbox"/> UL20	
<input type="checkbox"/> Valmatic Valves	<input type="checkbox"/> VM-22	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

2" Corporation / 2" Bronze Angle Valve	
Specification Section: 2550	
Standard Details: 115.1	
Standard: Use 2" tapped tee, AWWA threads, 2" ball corporation and 2" globe valve	
Approved Manufacturer/Product	Number
<input type="checkbox"/> The Ford Meter Box Co.	<input type="checkbox"/> FB1600-7
<input type="checkbox"/> AY McDonald Mfg. Company	<input type="checkbox"/> 3148B
<input type="checkbox"/> Mueller Company	<input type="checkbox"/> B-20045
<input type="checkbox"/> Nibco, Inc.	<input type="checkbox"/> T-311-Y, Angle Valve

Service Saddle		
Specification Section: 2570		
Standard Details:		
Standard: All Bronze Service Saddles		
Approved Manufacturer/Product		Series
<input type="checkbox"/> The Ford Meter Box Co.		<input type="checkbox"/> 101B <input type="checkbox"/> 202B
<input type="checkbox"/> Romac Industries, Inc.		<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> AY McDonald Mfg. Company		<input type="checkbox"/> 3815 (single strap) <input type="checkbox"/> 3825 (double strap)
<input type="checkbox"/> Mueller Company		<input type="checkbox"/> BR1B <input type="checkbox"/> BR2B

Jack-N-Bore		
Specification Section:		
Standard Details: 123.1, 211.1		
Standard: Casing – AWWA C-200; DIP pipe – AWWA C-104		
Approved Vendors	Casing Spacers	End Seals
<input type="checkbox"/> Advance Products and Systems	<input type="checkbox"/> Model SSI	<input type="checkbox"/> Models AW &/or AC
<input type="checkbox"/> Cascade Waterworks Manufacturing	<input type="checkbox"/> Model CCS	
<input type="checkbox"/> Corrosion Control Products	<input type="checkbox"/>	<input type="checkbox"/> Models S, C or W

Additional Water Items	
List Manufacturer	List appropriate specifications and detail

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Grinder Pumps

PVC Pressure Pipe			
Specification Section: 2570			
Standard Details: 213.2, 214.1, 217.1, 301.1, 302.1, 303.1, 304.1, 305.1, 306.1, 307.1			
Standard: Gasketed, SDR21, PVC 1120, ASTM D2241			
Approved Manufacturer/Product	Type	Standard	Size
<input type="checkbox"/> CertainTeed Corporation			
<input type="checkbox"/> National Pipe			
<input type="checkbox"/> Sanderson Pipe Corp.			

PVC Pressure Fitting			
Specification Section: 2570			
Standard Details: 213.2, 214.1, 217.1, 302.1, 303.1, 304.1, 305.1, 306.1, 307.1,			
Standard: Gasketed, SDR21, ASTM D2241			
Approved Manufacturer/Product	Part#	Catalog #	Size
<input type="checkbox"/> Flo Control, Inc.			
<input type="checkbox"/> The Harrington Corp.			
<input type="checkbox"/> Sanderson Pipe. Corp.			

PVC Pipe			
Specification Section: 2570			
Standard Details:			
Standard: Threaded, Schedule 80, ASTM D2464			
Approved Manufacturer/Product	Type	Standard	Size
<input type="checkbox"/> North American Pipe Corporation			
<input type="checkbox"/> Diamond Plastics			
<input type="checkbox"/> Sanderson Pipe Corp.			

PVC Purple Primer	
Specification Section: 2570	
Standard Details:	
Standard:	
Approved Manufacturer/Product	Series
<input type="checkbox"/> United Elchem Industries, Inc.	<input type="checkbox"/> Uni-Weld 8700

PVC Cement	
Specification Section: 2570	
Standard Details:	
Standard: Solvent Type	
Approved Manufacturer/Product	Series
<input type="checkbox"/> United Elchem Industries, Inc.	<input type="checkbox"/> Uni-Weld 8700

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Approved Manufacturer/Product	Series
<input type="checkbox"/> United Elchem Industries, Inc.	<input type="checkbox"/> Uni-Weld 1500

Grinder Pump	
Specification Section:	
Standard Details:	
Standard: Control panel must be within sight of the grinder unit.	
Approved Manufacturer/Product	Model
<input type="checkbox"/> Environmental One Corp.	<input type="checkbox"/> Model #DH071 <input type="checkbox"/>

Brass Fittings	
Specification: 2570	
Standard Details:	
Standard: Threaded	
Approved Manufacturer/Product	Supplemental Information
<input type="checkbox"/> Lee Brass Company	
<input type="checkbox"/> Merit Brass Company	

Swing Check Valve	
Specification: 2570	
Standard Details:	
Standard: PVC	
Approved Manufacturer/Product	Type/Series
<input type="checkbox"/> Flo Control, Inc.	<input type="checkbox"/> Compression Type, Series 1500 <input type="checkbox"/> Solvent Weld Type, Series 1520

Curb Box	
Specification Section: 2570	
Standard Details:	
Standard: Screw Type	
Approved Manufacturer/Product	Supplemental Information
<input type="checkbox"/> Tyler Pipe (#142R)	

Detector Tape	
Specification Section: 2570	
Standard Details:	
Standard: 3 inch wide, Safety Green	
Approved Manufacturer/Product	Supplemental Information
<input type="checkbox"/> Tyler Pipe (#142R)	

PRE-APPROVED MATERIALS LIST

Frederick County Contract Number: _____

Inspection Agreement Number: _____

Direct Bury Cable	
Specification:	Detail:
Specification: 2570	
Standard Details:	
Standard: Type UF, Cable with ground wire, 14/2	
Approved Manufacturer/Product	Supplemental Information

Materials not on the Pre Approved list shall be submitted in accordance with the General Conditions and Standard Specifications for Water Mains Sanitary Sewers and Related Structures, Sect 1200 I. General A. Description: B. Technical Submittals 1. Shop Drawings a.

Original Submittal: One each reproducible or six (6) legible prints each of all shop drawings shall be submitted to the Engineer for approval in accordance with the shop drawing submission schedule, etc.